

AWTA TEXTILE TESTING

26 Robertson Street, Kensington, Victoria 3031
P.O. Box 240 North Melbourne, Victoria 3051
Phone (03) 9371 2126 Telex AA35301 Fax (03) 9376 3469
Australian Wool Testing Authority Ltd - A.C.N. 006 014 106
trading as AWTA Textile Testing

TEST REPORT*

CLIENT : INNOVA INTERNATIONAL PTY LTD
4 AGE STREET
CHELTENHAM VIC 3192

TEST NUMBER : 7-468437-BV
DATE : 14.05.97

SAMPLE DESCRIPTION CLIENTS REF: SOLTIS 92
PVC COATED FABRIC
COLOUR: WHITE
APPROX THICKNESS: 1mm

THESE RESULTS MUST BE CONSIDERED IN CONJUNCTION
WITH THE COMMENTS ON THE FOLLOWING PAGE(S)

MATERIAL SPECIFICATION PROVIDED BY CLIENT:
NOM COMPOSITION: PVC COATED POLYESTER WOVEN BASECLOTH
NOM MASS: 420g/m²

AS 1530.3.1989 SIMULTANEOUS DETERMINATION OF IGNITABILITY, FLAME
AMDT NO 1 APR 92 PROPAGATION, HEAT RELEASE AND SMOKE RELEASE.

RESULTS:	MEAN		STANDARD ERROR
IGNITION TIME	NIL	min	NIL
FLAME PROPAGATION TIME	NIL	s	NIL
HEAT RELEASE INTEGRAL	NIL	kJ/m ²	NIL
SMOKE RELEASE, LOG D	-0.7002		0.0269
OPTICAL DENSITY, D	-0.2013	/m	

NUMBER OF SPECIMENS IGNITED: 0
NUMBER OF SPECIMENS TESTED: 6

REGULATORY INDICES:			
IGNITABILITY INDEX	0	RANGE	0-20
SPREAD OF FLAME INDEX	0	RANGE	0-10
HEAT EVOLVED INDEX	0	RANGE	0-10
SMOKE DEVELOPED INDEX	5	RANGE	0-10

74968 1

(CONTINUED NEXT PAGE) PAGE 1

© Australian Wool Testing Authority Ltd
Copyright - All Rights Reserved



This Laboratory is registered by the National Association of Testing Authorities, Australia, for:
- Chemical Testing of Textiles & Related Products : Registration No. 983
- Mechanical Testing of Textiles & Related Products : Registration No. 985
- Heat & Temperature Measurement : Registration No. 1356

CHARGES

TESTING \$560.00

TOTAL \$560.00

* The above tests have been performed in accordance with NATA's terms of registration. Samples and their identifying descriptions are normally submitted by the client unless otherwise stated. AWTA Textile Testing makes no warranty, implied or otherwise, as to the source of the tested sample. The above tests relate only to the sample tested. This document shall not be reproduced except in full and shall be rendered void if amended or altered. This document, the name AWTA Textile Testing or AWTA Ltd may not be used in any form of advertising without the prior written consent of the Managing Director of AWTA Ltd.



Don Hampshire
AUTHORISED SIGNATORY

D.J. WARD B.Sc., M.A.I.A.S.
MANAGING DIRECTOR