



FOR LARGE SIZE BLINDS AND GLASSROOFS

G A R A N T E E S A N D L A B E L S



ADVANTAGES

- ✔ FERRARI® PRÉCONTRAINTE TECHNOLOGY
- ✔ 270 CM WIDTH
- ✔ OUTSTANDING DIMENSIONAL STABILITY
- ✔ METALLISED AND IRIDESCENT FINISHES: SPECIALLY MADE FOR THE MODERN ARCHITECTURE
- ✔ COORDINATION WITH SOLTIS® 86

COLOURS & REFERENCES

(COLOURS GIVEN FOR INDICATION)

	Ref. 93-3002
	Ref. 93-3003
	Ref. 93-3011
	Ref. 93-3043
	Ref. 93-3044
	Ref. 93-3045
	Ref. 93-3046*
	Ref. 93-3047
	Ref. 93-3048
	Ref. 93-3051*
	Ref. 93-3053
	Ref. 93-3065
	Ref. 93-3070
	Ref. 93-3088

* Different colour on reverse side

TECHNICAL CHARACTERISTICS

TECHNICAL CHARACTERISTICS	SOLTIS® 93	NORMS
WEIGHT	420 g/m ²	EN ISO 2286-2
THICKNESS	0,45 mm	
WIDTH	270 cm	
TENSILE STRENGTH (WARP/WEFT)	300/240 daN/5 cm	EN ISO 1421
TEAR STRENGTH (WARP/WEFT)	40/30 daN/5 cm	DIN 53.363
FLAME RETARDANCY	NF P 92-507 M1 - DIN 4102-1 B1 - BS 7837 - AS/NZS 1530.3 - ONORM B 3800-1 B1 - UNI 8456 CLASSE 1 - UNE 23.727 M1 - SN 198898 VKF 5.2	
ROLLS LENGTH	40 ML	
QUALITY MANAGEMENT SYSTEM		ISO 9001

The technical characteristics shown are average values given as a guide and may be modified.

SOLAR AND VISUAL PROPERTIES

Reference	TS	RS	AS	TV	FS ext 1/4" CL	FS int 1/4" CL
93-3002	15	53	32	13	19	39
93-3003	12	48	40	11	17	42
93-3011	8	42	50	8	14	45
93-3043	5	11	84	7	15	66
93-3044	21	65	14	18	23	33
93-3045	5	27	68	7	13	55
93-3046 A	11	37	52	11	17	50
93-3046 B	11	59	30	11	15	34
93-3047	5	7	88	7	15	69
93-3048	9	37	54	11	15	49
93-3051 A	12	40	48	12	18	48
93-3051 B	12	63	25	12	15	32
93-3053	4	5	91	6	15	70
93-3065	9	43	48	8	15	45
93-3070	6	35	59	7	13	50
93-3088	9	40	51	7	15	47

